

lob			

## WIRE SHELVING ACCESSORIES

#### Color Shelf Marker

Color code for effective organization. Snaps securely to the front edge of Super Erecta and Super Adjustable Super Erecta Wire Shelving.

Item #

	Shelf Marker Size	
Model No.	(in.) (mm)	Color
CSM6-B	6x11/4 152x32	Blue
CSM6-G	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Green
CSM6-R	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Red
CSM6-T	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Tan
CSM6-W	6x11/4 152x32	White
CSM6-Y	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Yellow
CSM6-GR	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Grav



Color Shelf Markers

#### Label Holders

It's easy to identify shelf contents with these snap-on plastic holders, available in four styles and a variety of sizes. Labels not included.

#### 11/4" (32mm) Label Holders

Gray. Holds most commercial labels. Available in a variety of lengths.

	Labe	el Size	Fits She	If Length
Model No.	(in.)	(mm)	(in.)	(mm)
9990P	3x1 <sup>1</sup> / <sub>4</sub>	75x32	1	All
9990P1	13x1 <sup>1</sup> / <sub>4</sub>	330x32	18	457
9990P2	19x1¹/₄	480x32	24	610
9990P30	25×11/4	635x32	30	760
9990P3	31x1¹/₄	725x32	36	914
9990P4	43×1 <sup>1</sup> / <sub>4</sub>	1090x32	48	1219
9990P5	55x1 <sup>1</sup> / <sub>4</sub>	1395x32	60	1520



11/4" (32mm) Label Holder

#### Clear Label Holders

Clear plastic allows decorator colors to show through. Holds most commercial 11/4" (32mm) labels.

	Label Size	Fits Shelf Length
Model No.	(in.) (mm)	(in.) (mm)
9990CL	3x11/4 75x32	All
9990CL1	13x1 <sup>1</sup> / <sub>4</sub> 330x32	18 457
9990CL2	19x1 <sup>1</sup> / <sub>4</sub> 480x32	24 610
9990CL30	25x1 <sup>1</sup> / <sub>4</sub> 635x32	30 760
9990CL3	31x1 <sup>1</sup> / <sub>4</sub> 725x32	36 914
9990CL4	43x1 <sup>1</sup> / <sub>4</sub> 1090x32	48 1219
9990CL5	55x1 <sup>1</sup> / <sub>4</sub> 1395x32	60 1520



Clear Label Holder

#### Slanted Label Holders

Gray solid plastic holder puts 11/4" (32mm) labels on slant for easier viewing.

Model No.	Labe (in.)	l Size (mm)	Fits She	If Length (mm)
9990SL	3x1 <sup>1</sup> / <sub>4</sub>	75x32		All
9990SL1	13x1 <sup>1</sup> / <sub>4</sub>	330x32	18	457
9990SL2	19x1 <sup>1</sup> / <sub>4</sub>	480x32	24	610
9990SL30	25x1 <sup>1</sup> / <sub>4</sub>	635x32	30	760
9990SL3	31x1 <sup>1</sup> / <sub>4</sub>	725x32	36	914
9990SL4	43x1 <sup>1</sup> / <sub>4</sub>	1090x32	48	1219
9990SL5	55x1 <sup>1</sup> / <sub>4</sub>	1395x32	60	1520



Slanted Label Holder

#### Material specifications

- Color Shelf Markers, 1'/4" High Gray Label Holders, Slanted Label Holders Rigid PVC; suitable for continuous use in a temperature range of -20° to 165°F (-28° to 73°C)
   Clear Label Holders CAB plastic; suitable for continuous use in a temperature range of 20° to 120°F (-28° to 49°C)
- Label holders are not cart washable or autoclavable.

#### Notes for Shelf Markers and Label Holders:

- If ledges are desired on the front of the shelf where the label holder is most often attached, the label holder or color shelf marker must be mounted between the vertical support wires of the ledge.
- whites or the ledge.

  Label holders work with standard wire shelving styles Super Erecta, Super Adjustable, qwikSLOT, Drop Mat wire shelving, cantilever shelves.

  Designed for use with 1\* (25mm) high labels.









# Grids and Brackets

#### Grids

Attach easily to shelf frames or to the wall to provide a structure for mounting baskets, hooks, hangers, and other storage, workspace management, or display accessories. Accessories can be found in this spec sheet (10.05) and in spec sheet 10.41.

- Grid openings: 2<sup>3</sup>/<sub>4</sub>"x2<sup>3</sup>/<sub>4</sub>" (70x70mm)
- · Weight capacity: 250 lb. (112.5kg)

Model No.	Model No. Metroseal 3	2	Size	App Pkd.	
Plated	with Microban®	(in.)	(mm)	(lbs.)	(kg)
WG1836BR	WG1836K3	18x36	457x914	9	4.1
WG1848BR	WG1848K3	18x48	457x1219	12	5.4
WG1860BR	WG1860K3	18x60	457x1524	14	6.4
*	WG2436K3	24x36	610x914	12	5.4
*	WG2448K3	24x48	610x1219	15.5	7
*:	WG3036K3	30x36	762x914	12.8	5.8
*	WG3048K3	30x48	762x1219	16.5	7.5
PBA-GPC	1 <del></del>	33x54	840x1370	21	9.5



Note: Consult your Metro representative for availability of stainless steel or decorative epoxy grids.

#### Grid Clamp (for Shelf)

Allows the grid to attach to a wire or solid shelf frame. Brite zinc finish. Minimum of four are needed to secure a grid to a shelf. Bag of 8 clamp assemblies. (Available by the bag only). Model No. **9970Z** 







Grid Clamp

SWGB2

WGBRKT

#### Stainless Steel Direct Wall Mount Brackets

Stainless grid brackets allow the grid to attach to the wall and be removed for easy cleaning. Kit includes 6 brackets. Approximate packaged weight is 2 lb. (0.9kg). Model No. **SWGB2** 

#### Plastic Direct Wall Mount Bracket


Black plastic clamps attach grid to the wall. Kit includes 6 brackets. Approximate packaged weight is 2 lb. (0.9kg). Model No. **WGBRKT** 

#### Hanger Rails

Convenient rail fits on posts along the width or length of the unit. Suitable for use with hanging storage baskets, hooks, and extension display hangers.

Model No.	Model No.	Model No.	Model No.	Model No.	Len	igth†	Appi Pkd.	
Chrome	Black	White	Smoked Glass	Designer Colors*	(in.)	(mm)	(lbs.)	(kg)
H114C	H114B	H114W	H114-DSG	H114-D	14	355	1	.45
H118C	H118B	H118W	H118-DSG	H118-D	18	457	11/4	.57
H124C	H124B	H124W	H124-DSG	H124-D	24	610	11/2	.68
H130C	H130B	H130W	H130-DSG	H130-D	30	760	11/2	.68
H136C	H136B	H136W	H136-DSG	H136-D	36	914	2	.90
H148C	H148B	H148W	H148-DSG	H148-D	48	1219	$2^{1/2}$	1.13

†14", 18" and 24" (355, 457 and 610mm) sizes fit shelf width (depth). 30", 36" and 48" (760, 914 and 1219mm) sizes fit shelf length. Weight capacity — 25 lb. (11.3kg) evenly distributed.



Hanger Rail

#### Cantilever Shelves

Adds convenient space above a storage unit. Drop mat design creates a retaining ledge around the entire 12" (305mm) deep shelf. Remember to order rear posts taller than front posts to accommodate these shelves.

Model No.	Model No.	Model No.	Ler	ngth		
Black	White	Smoked Glass	(in.)	(mm)	(lbs.)	(kg)
1224CSNBL	1224CSNW	1224CSN-DSG	24	610	41/2	2.0
1230CSNBL	1230CSNW	1230CSN-DSG	30	750	5	2.3
1236CSNBL	1236CSNW	1236CSN-DSG	36	914	53/4	2.6
1242CSNBL	1242CSNW	1242CSN-DSG	42	1066	$6^{3}/_{4}$	3.1
1248CSNBL	1248CSNW	1248CSN-DSG	48	1219	73/4	3.5
1260CSNBL	1260CSNW	1260CSN-DSG	60	1524	91/2	4.3
	1224CSNBL 1230CSNBL 1230CSNBL 1236CSNBL 1242CSNBL 1248CSNBL	Black         White           1224CSNBL         1224CSNW           1230CSNBL         1230CSNW           1236CSNBL         1236CSNW           1242CSNBL         1242CSNW           1248CSNBL         1248CSNW	Black         White         Smoked Glass           1224CSNBL         1224CSNW         1224CSN-DSG           1230CSNBL         1230CSNW         1230CSN-DSG           1236CSNBL         1236CSNW         1236CSN-DSG           1242CSNBL         1242CSNW         1242CSN-DSG           1248CSNBL         1248CSNW         1248CSN-DSG	Black         White         Smoked Glass         (in.)           1224CSNBL         1224CSNW         1224CSN-DSG         24           1230CSNBL         1230CSNW         1230CSN-DSG         30           1236CSNBL         1236CSNW         1236CSN-DSG         36           1242CSNBL         1242CSNW         1242CSN-DSG         42           1248CSNBL         1248CSNW         1248CSN-DSG         48	Black         White         Smoked Glass         (in.)         (mm)           1224CSNBL         1224CSNW         1224CSN-DSG         24         610           1230CSNBL         1230CSNW         1230CSN-DSG         30         750           1236CSNBL         1236CSNW         1236CSN-DSG         36         914           1242CSNBL         1242CSNW         1242CSN-DSG         42         1066           1248CSNBL         1248CSNW         1248CSN-DSG         48         1219	Black         White         Smoked Glass         (in.)         (mm)         (lbs.)           1224CSNBL         1224CSNW         1224CSN-DSG         24         610         4½           1230CSNBL         1230CSNW         1230CSN-DSG         30         750         5           1236CSNBL         1236CSNW         1236CSN-DSG         36         914         5¾           1242CSNBL         1242CSNW         1242CSN-DSG         42         1066         6¾           1248CSNBL         1248CSNW         1248CSN-DSG         48         1219         7¾



Weight capacity — 150 lb. (67.5kg) evenly distributed.

#### **Designer Shelf Colors**

\*To order a Designer Color, add the appropriate color suffix to the desired catalog numbers above (example: 18"x36" [457x914mm] Hunter Green Shelf = 1836N-DHG).

BM — Black MatteF — FlameSH — Silver HammertoneCH — Copper Hammertone

**HG** — Hunter Green

# WIRE SHELVING ACCESSORIES



#### Color ID Tubes

Provide color coded organization to shelf contents. Tubes slip onto posts. Material rigid PVC.

	I enath		Diameter Length Inside		Out	Approx. Outside Pkd. Wt.			
Model No.	(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)	Color
CIT8Y	8	200	11/16	27	13/16	30	5 <sup>5</sup> /8	2.5	Yellow
CIT8F	8	200	11/16	27	13/16	30	55/B	2.5	Flame
CIT8BL	8	200	11/16	27	13/16	30	5 <sup>5</sup> /8	2.5	Black
CIT8G	8	200	11/16	27	13/16	30	5 <sup>5</sup> /8	2.5	Gray
CIT8W	8	200	11/16	27	13/16	30	5 <sup>5</sup> / <sub>8</sub>	2.5	White



Color ID Tubes

#### Storage Baskets

Generous-sized baskets attach in seconds to a hanger rail, wire shelf, enclosure panel, or grid. Weight capacity - 20 lb. (9kg).

Model No.	Model No. Metroseal 3	Model No.	Model No.	Model No.	Model No. Designer	Width/Leng	th/Depth	Appro	
Chrome	with Microban®	Black	White	Smoked Glass	Colors*	(in.)	(mm)	(lbs.)	(kg)
H209C	H209K3	H209B	H209W	H209-DSG	H209-D	133/ex5x7	345x127x180	81/2	4
H210C	H210K3	H210B	H210W	H210-DSG	H210-D	173/8x71/2x5	440x190x127	7	3
H212C	H212K3	H212B	H212W	H212-DSG	H212-D	173/8x71/2x10	440x190x255	11	5



Large Display/Storage Basket

#### File Basket

The convenient place to keep files and papers.

- Measures 2<sup>5</sup>/<sub>8</sub>"W. x 12<sup>3</sup>/<sub>4</sub>" L. x 8<sup>3</sup>/<sub>4</sub>" H. (67mm W. x 324mm L. x 222mm H.).
- · Large enough to hold standard-size file folders.
- · Chrome plated.
- Weight capacity 20 lb. (9kg).


	Width/Length	Height	Pkd Wt.
Model No.	(in.) (mm)	(in.) (mm)	(lbs.) (kg)
PH1239C	2 <sup>5</sup> /ex12 <sup>3</sup> / <sub>4</sub> 63x330	8 <sup>3</sup> / <sub>4</sub> 228	2.1 1.0



File Basket

**Extension Display Hanger**Snaps on Super Erecta Shelf hanger rails, shelves, enclosure panels, and grids. Accepts standard carded merchandise.

	Length	Approx. Pkd. Wt.	
Model No.	(in.) (mm)	(lbs.) (kg)	Finish/Color
HHK6C	6 152	.25 .1	Chrome
HHK6B	6 152	.25 .1	Black
HHK8C	8 203	.25 .1	Chrome
HHK8B	8 203	.25 .1	Black





Extension Display Hanger





# WIRE SHELVING ACCESSORIES

Swing Hanger

Attaches to post to provide convenient storage for hanging items. Red epoxy finish.

	to format of the sales	Weight	
Model No.	Arm Length (in.) (mm)	Capacity (lbs.) (kg)	
H110R	61/4 160	20 9	




Swing Hanger

**Snap-On Hooks** 

Multi-purpose hooks in three styles attach to hanger rails, mounting rails, shelves, enclosure panels, or grids for instant access.

Model No.	Model No.		Height	
Chrome	Black	Description	(in.)	(mm)
HK23C	HK23B	Style A — Small	37/16	90
HK25C	HK25B	Style B — Large	37/16	90
HK26C		Style C — Double	37/16	90

Weight capacities: Single Hook — 5 lb. (2.3kg)
Double Hook — 10 lb. (4.6kg)



Snap-On Hooks

### **Garment Hanger Tube with Brackets**

Hanger tubes attach easily under Super Erecta shelves for hanging garments. Available in 18", 21" and 24" (457, 530 and 610mm) widths and in same length as shelves.

	Shelf Width	Shelf Width	Shelf Width*	Tube Length	Approx. Pkd. Wt.
1	18' (457mm) AT2418NC	21" (530mm) AT2421NC	24" (610mm) AT2424NC	(in.) (mm) 24 610	(lbs.) (kg) 21/2 1.1
	AT3018NC	AT3021NC	AT3024NC	30 760	21/2 1.1
	AT3618NC	AT3621NC	AT3624NC	36 914	3 1.4
	AT4218NC	AT4221NC	AT4224NC	42 1066	31/2 1.6
	AT4818NC	AT4821NC	AT4824NC	48 1219	31/2 1.6
	AT6018NC	AT6021NC	AT6024NC	60 1524	4 1.8
	AT7218NC	AT7221NC	AT7224NC	72 1828	41/2 2.0
		CAS CARDON POR CAS	The same of the sa		

Weight capacity — 75 lb. (34kg) evenly distributed. \*Also works with 30\* (760mm) and 36" (914) width shelves.



Garment Hanger Tube with Brackets

All Metro Catalog Sheets are available on our Web Site: www.metro.com



Problem Solver PO Box 1119 Bayshore, NY 11706 631-300-9596 www.metrowire.com